

Oak 30.Xtra / technical data sheet

Oak 30.Xtra is characterized by 11 treads with 12 risers. The treads, complete with railing, are 23 1/4" (59 cm) wide, shaped and staggered, to guarantee maximum utilization of space without compromising

stair functionality.

The staircase is supplied with a railing on one side. Oak 30.Xtra is adjustable in rise and in direction of rotation, and can assume different configurations.

WOOD SHADES

LIGHT



STEEL COLORS

WHITE OR BLACK





Table 1


				ADDITIONAL ARTICLES	
	STAIRCASE HEIGHT	TREADS	RISERS	TREADS	HANDRAILS
INCREASE ▲	105 7/8" ÷ 128 3/4" 269 ÷ 327 cm	13	14	+ 2	+ 1
▲	98 7/16" ÷ 119 11/16" 250 ÷ 304 cm	12	13	+ 1	+ 1
STANDARD	90 15/16" ÷ 110 1/4" 231 ÷ 280 cm	11	12	11 SHAPED TREADS + 11 SUPPORTS + ONE RAILING SIDE WITH PARALLEL TUBES	
DECREASE ▼	83 7/16" ÷ 101 3/16" 212 ÷ 257 cm	10	11	-	-




ADJUSTABLE RISE FROM 7 15/32" TO 9 1/4" (FROM 19 TO 23,5 CM)



83 7/16" ÷ 110 1/4"
212 ÷ 280 cm








98 7/16" ÷ 119 11/16"
250 ÷ 304 cm



105 7/8" ÷ 128 3/4"
269 ÷ 327 cm

ADDITIONAL ARTICLES OVERVIEW

				
TREAD	RISER BAR	HANDRAIL 47 1/4" (120 cm)	RAILING	BALCONY RAIL KIT 47 1/4" (120 CM)

ADDITIONAL TREADS / HANDRAILS

To reach a staircase height of 128 3/4" (327 cm), you must purchase additional treads comprising the structure, tread and balusters.

Additional handrail modules (Table 1) must be purchased for certain configurations.


RISER BAR

Allows to reduce the space between treads for safety.



ADDITIONAL RAILING

It protects the second side of the staircase when it is far from the wall. It comprises 8 balusters, 5 parallel tubes, handrail and increases the dimension of the staircase by 1 31/32" (5 cm).



BALCONY RAIL KIT

The additional balcony rail kit is necessary to protect the upper floor opening. It comes in 47 1/4" (120 cm) modules comprising 5 balusters, 8 parallel tubes, handrail and hardware. The balcony rail kit can accommodate square and circular openings.

WINDING DIRECTION

The clockwise or counterclockwise winding direction may be decided during the assembly.



clockwise



counterclockwise

EXAMPLE

If you wish to purchase Oak 30.Xtra comprising 12 + 3 = 14 risers, the following articles are needed:

- 1 OAK 30.XTRA STAIRCASE (standard)
- 2 ADDITIONAL TREADS
- 1 ADDITIONAL HANDRAIL



FOR FURTHER INFORMATION
VISIT THE WEBSITE
www.arkestairs.com

fontanot
oak